

WORLD INTELLECTUAL PROPERTY ORGANIZATION ORGANISATION MONDIALE DE LA PROPRIÉTÉ INTELLECTUELLE

34, chemin des Colombettes, Case postale 18, CH-1211 Genève 20 (Suisse) Téléphone; (41 22) 338 91 11 - e-mail: wipo.mail @ wipo.int. - Fac-similé: (41 22) 733 54 28

PATENT COOPERATION TREATY (PCT) TRAITÉ DE COOPÉRATION EN MATIÈRE DE BREVETS (PCT)

CERTIFIED COPY OF THE INTERNATIONAL APPLICATION AS FILED AND OF ANY CORRECTIONS THERETO

COPIE CERTIFIÉE CONFORME DE LA DEMANDE INTERNATIONALE, TELLE QU'ELLE A ÉTÉ DÉPOSÉE, AINSI QUE DE TOUTES CORRECTIONS Y RELATIVES

PCT/IB02/02537

International Application No. Demande internationale n°

International Filing Date
Date du dépôt international


O1 July 2002

(01.07.02)

Geneva/Genève, 05 May. 2003 (05.05.03)

International Bureau of the World Intellectual Property Organization (WIPO)

Bureau International de l'Organisation Mondiale de la Propriété Intellectuelle (OMPI)



J.-L. Baron
Head, PCT Receiving Office Section
Chef de la section "office récepteur du PCT"

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)



REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

PCT / IB 0 2 /	•
International Application No.	
0 1 JULY 2002 International Filing Date	(0 1. 07. 02)
INTERNATIONAL BUREA	

Name of receiving termational Application"

Applicant's or agent's file reference (if desired) (12 characters maximum) 99000104/CHE TITLE OF INVENTION Box No. 1 A system and method for delivering representative media objects of a broadcast media stream to a mobile terminal Box No. II APPLICANT This person is also inventor Name and address: (Family name followed by given name; for a legal entity, full official designation.
The address must include postal code and name of country. The country of the address indicated in this
Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) Telephone No. Facsimile No. **NOKIA CORPORATION** Keilalahdentie 4 Teleprinter No. FIN-02150 Espoo Finland Applicant's registration No. with the Office State (that is, country) of nationality: State (that is, country) of residence: Finland Finland the States indicated in the Supplemental Box the United States of America only This person is applicant for the purposes of: all designated States all designated States except the United States of America Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only MÄKIPÄÄ, Mikko applicant and inventor Airoranta 9 A inventor only (If this check-box FIN-00830 Heisinki is marked, do not fill in below.) Finland Applicant's registration No. with the Office State (that is, country) of residence: State (that is, country) of nationality: Finland Finland the States indicated in This person is applicant for the purposes of: the United States of America only all designated States all designated States except the United States of America the Supplemental Box Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE Box No. IV common representative The person identified below is hereby/has been appointed to act on behalf 🗶 agent of the applicant(s) before the competent International Authorities as: Name and address: (Family name followed by given name; for a legal entity, full official designation.
The address must include postal code and name of country.) Telephone No. +45 70 20 00 33 AWAPATENT A/S Facsimile No. +45 70 20 04 33 Teglholm Allé 13 DK-2450 København SV Teleprinter No. Denmark Agent's registration No. with the Office Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Form PCT/RO/101 (first sheet) (March 2001; reprint January 2002)



REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving fice use only	_
-----------------------------	---

PCT / IB 0 2 / 0 2 5 3 7 International Application No.

0 1 JULY 2002 International Filing Date

L(0 1. 07.02)

INTERNATIONAL BUREAU OF WIPO

PCT International Application
Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference (if desired) (12 characters maximum) 99000104/CHE

	(if desired) (12 charact	ers maximum) 99000 104/CNE			
Box No. I TITLE OF INVENTION					
A system and method for delivering representative media objects of a broadcast media stream to					
Box No. II APPLICANT This perso	n is also inventor				
Name and address: (Family name followed by given name; for a legal ent The address must include postal code and name of country. The country of t Box is the applicant's State (that is, country) of residence if no State of residen	he address indicated in this	Telephone No.			
NOKIA CORPORATION	·	Facsimile No.			
Keilalahdentie 4 FIN-02150 Espoo		Teleprinter No.			
Finland		Applicant's registration No. with the Office			
State (that is, country) of nationality: Finland	State (that is, country) Finland	of residence:			
This person is applicant for the purposes of: all designated all designated the United States	d States except tates of America	the United States of America only the States indicated in the Supplemental Box			
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	HER) INVENTOR(S)				
Name and address: (Family name followed by given name; for a legal ent The address must include postal code and name of country. The country of Box is the applicant's State (that is, country) of residence if no State of residen MÄKIPÄÄ, Mikko Airoranta 9 A FIN-00830 Helsinki Finland	he address indicated in this ce is indicated below.)	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office			
State (that is, country) of nationality: Finland	State (that is, country) Finland	of residence:			
This person is applicant all designated for the purposes of:	ed States except tates of America	the United States of America only the States indicated in the Supplemental Box			
Further applicants and/or (further) inventors are indicated	on a continuation sheet.				
Box No. IV AGENT OR COMMON REPRESENTATIVE	; OR ADDRESS FOR	CORRESPONDENCE			
The person identified below is hereby/has been appointed to act of the applicant(s) before the competent International Authorities	on behalf as:	agent common representative			
Name and address: (Family name followed by given name; for a legal ent The address must include postal code and name of c	ity, full official designation. ountry.)	Telephone No. +45 70 20 00 33			
AWAPATENT A/S Teglholm Alié 13		Facsimile No. +45 70 20 04 33			
DK-2450 København SV Denmark		Teleprinter No.			
		Agent's registration No. with the Office			
Address for correspondence: Mark this check-box where space above is used instead to indicate a special address to	no agent or common rep which correspondence s	resentative is/has been appointed and the hould be sent.			

Form PCT/RO/101 (first sheet) (March 2001; reprint January 2002)

)	Sheet No.		2.

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)					
If none of the following sub-boxes is used, this sheet should not	t be included in the request.				
for the purposes of: Name and address: (Family name followed by given name; for a legal entity the address must include postal code and name of country. The country of the Bax is the applicant's State (that is, country) of residence if no State of residence is ROPRA, Toni Sääritle 11 B 6 FIN-03250 Ojakkala	applicant only applicant and inventor inventor only (If this check-be is marked, do not fill in below.) Applicant's registration No. with the C State (that is, country) of residence: Finland States except the United States of America only the Supplement of America only the Supplement of America only the Supplement of America only applicant only Applicant and inventor inventor only (If this check-bis marked, do not fill in below is marked, do not fill in below	office			
Finland	Applicant's registration No. with the)Hice			
State (that is, country) of nationality: Finland	State (that is, country) of residence: Finland				
This person is applicant all designated ell designate for the purposes of:	d States except tates of America only the States indicates of America only the Supplement	ated in tal Box			
Name and address: (Family name followed by given name; for a legal ent The address must include postal code and name of country. The country of t Box is the applicant's State (that is, country) of residence if no State of residen	he address vialcaled in this	V.)			
State (that is, country) of nationality:	State (that is, country) of residence;				
This person is applicant all designated all designate for the purposes of:	ed States except the United States the States indicates of America only the States indicates of America only	cated in tal Box			
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country of Box is the applicant's State (that is, country) of residence if no State of residen	the address indicated in this	w.) 			
State (that is, country) of nationality:	State (that is, country) of residence:				
	ed States except the United States the States ind States of America only the Supplement	icated in ntal Box			
Further applicants and/or (further) inventors are indicated on another continuation sheet.					

Form PCT/RO/101 (continuation sheet) (March 2001; reprint January 2002)





Bo	t No.	v designation of states		Mark the applicable check-boxes below;	at lea	15 2 (one must be marked.
774	The following designations are hereby made under Rule 4.9(a):						
				~~/¤/·			
Ke	grons	al Patent	<u></u>	Lie VI Varia V C 7 4L - Retti 1	√a1-	t	M7 Mozembiana SB Sudan
		SL Sierra Leone, SZ Swaziland, TZ V State which is a Contracting State of specify on dotted line)	Jnite F the	mbia, KE Kenya, LS Lesotho, MW led Republic of Tanzania, UG Uganda, Zio Harare Protocol and of the PCT (if other control of the PCT)	M Za er ki	nd	bis, ZW Zimbabwe, and any other of protection or treatment desired,
		RU Russian Pederation, TJ Tajikista Patent Convention and of the PCT	n, T	rbaijan, BY Belarus, KG Kyrgyzstan, K M Turkmenistan, and any other State wi	iich i	5 8	. Contracting State of the Burasian
		Republic, DE Germany, DK Denma IE Ireland, IT Italy, LU Luxembourg, any other State which is a Contracting	rk, E MC g St	ium, BG Bulgaria, CH & LI Switzerland EE Estonia, ES Spain, FI Finland, FR F C Monaco, NL Netherlands, PT Portugal, tate of the European Patent Convention	ranco SES and o	e, (we of	GB United Kingdom, GR Greece, den, SK Slovakia, TR Turkey, and the PCT
X	OA	GA Gabon, GN Guinea, GQ Equato TD Chad. TG Togo, and any other S	rial tate v	nin, CF Central African Republic, CG Guinea, GW Guinea-Bissau, ML Mali, which is a member State of OAPI and a on dotted line)	MIR Cont	TEL TEL	lauritania, NE Niger, SN Senegal, cting State of the PCT (if other kind
Na	tion	al Patent (if other kind of protection o	r tre	eatment desired, specify on dotted line):			
	AE		y		N	Z	New Zealand
	۸C	Antimo and Barbuda	() H	IR Crostis	X o	M	Oman
X	AL.	Albania	Ø p	IU Hungary	XI P	H	Philippines
X	AM.	Armenia	g n				Poland
X	AT.	Austria	0 11	L Israel	EL P	T	Portugal
	AU .	Australia	Ž 11	N India	MAIN Main	·TT	Russian Federation
	AZ	Azerbaijan	8) T	S Iceland P Japan	201 %	U	Kussishi rederation
						D	
K	RC	Bulearia	S K	KE Kenya	X s	E	Sweden
K	BR	Brazil	K	CP Democratic People's Republic	BKI S	G	Singapore
K	BY	Relans		of Korea	K 5	I	Slovenia
K	ΒZ	Belize	K K	CR Republic of Korez	BO S	K	Slovakia
		Canada	K	KZ Kazakhstan	K 8	L	Sierra Leone
		& LI Switzerland and Liechtenstein			X 1	(J	Tajikistan
X	CN	China					[Turkmenistan
K	CO			324 220-41-			Tunisia
X	CR	Costa Rica	Z L				Turkey
K	CD	Cuba	X I	~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Т	Trinidad and Tobago
K	CZ	Czech Republic		LU Luxembourg	107 -		United Republic of Tanzania
K	DE	Germany	N I	LV Latvia			Ukraine
		Denmark	יו עניט	VID Republic of Moldova		U.A	Tipanda
		Algeria	oen Y.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	K i	US	United States of America
			Zi n	MG Madagascar			***************************************
	EE	Estonia		MK The former Yugoslav Republic of	1	υZ	Uzbekistan
X	ES	Spain	A1	Macedonia	X '	٧N	Viet Nam
K					-	Yť	J Yugoslavia
X		United Kingdom	K 1	MWMalawi	X :	ZA	South Africa
X		_	_				
K	GE	Georgia	N 🔀	MX MexicoMZ Mozambique	X	ZV	V Zimbabwe
X	GH	Ghana	N I	NO Norway			
_		-out of holony renewed for designation 5	tate	s which have become party to the PCT	ter:	ico	nance of this sheet:
	ı		_		П.		
	 		╡.			•••	
				Afam da Ala Japinan Dana and a fara at			ont also makes under Pule 4 0/h) al
Ri	ecaul	nonary Designation Statement: In a	libbi Sari	tion to the designations made above, the ler the PCT except any designation(s) i	app adic:	uc.	d in the Supplemental Box as being
ex	clude	d from the scope of this statement. The	appl	licant declares that those additional desig	gnati	on	s are subject to confirmation and tha

any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Form PCT/RO/101 (second sheet) (July 2002)

	S	Sheet No 4				
Box No. VI PRIORITY	CLAIM					
The priority of the following	earlier application(s) is here	by claimed:				
Filing date	Number Where earlier application is:					
of earlier application (day/month/year)	of earlier application	national application: country	regional application:* regional Office	international application: receiving Office		
item (1)						
item (2)						
item (3)						
item (4)						
item (5)						
Further priority claims	are indicated in the Supplem	Lental Box.	1	<u> </u>		
if the earlier application was above as: all items item item	nested to prepare and transmit if filed with the Office which for (1) item (2) tion is an ARIPO application, Member of the World Trade C	r the purposes of this intern item (3) item	ational application is the 14) item (5)	other, see Supplemental Box		
Box No. VII INTERNA	TIONAL SEARCHING AU	THORITY				
ISA / EP Request to use results of e International Searching Aut	earching Authority (ISA) (is the the Authority chosen; the interest of the search; reference to thority):	that search (if an earlier		out by or requested from the		
Date (day/month/year)	Nux	doer Co	muy (or regionial cy)ice)			
Box No. VIII DECLARA	ATIONS					
The following declaration check-boxes below and indi	s are contained in Boxes No cate in the right column the m	s. VIII (i) to (v) (mark the unber of each type of decla	applicable tration):	Number of declarations		
Box No. VIII (i)	Declaration as to the iden	tity of the inventor		;		
Box No. VIII (ii)	Declaration as to the app date, to apply for and be	licant's entitlement, as at t granted a patent	the international filing	: 1		
Box No. VIII (üi)		plicant's entitlement, as at y of the earlier application		:		
Box No. VIII (iv)	Declaration of inventors	hip (only for the purposes	of the designation of the	. 1		

Declaration as to non-prejudicial disclosures or exceptions to lack of novelty :

Form PCT/RO/101 (third sheet) (March 2001; reprint January 2002)


Box No. VIII (v)

Sheet No 5
Box No. VIII (ii) DECLARATION: ENTITLEMENT TO APPLY FOR AND BE GRANTED A PATENT The declaration must conform to the standardized wording provided for in Section 212; see Notes to Boxes Nos. VIII, VIII (i) to (v) (in general) and the specific Notes to Box No. VIII (ii). If this Box is not used, this sheet should not be included in the request.
Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51 bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate:
in relation to the present international patent application
NOKIA CORPORATION is entitled to apply for and be granted a patent by virtue of the following:
(ii) NOKIA CORPORATION is entitled as employer of the inventors, Mikko Mäkipää, Akseli Anttila and Toni Kopra.
(ix) this designation is made for the purposes of: (a) all designations [except the designation of the United States of America]
•
,

This declaration is continued on the following sheet, "Continuation of Box No. VIII (ii)".

Form PCT/RO/101 (declaration sheet (ii)) (March 2001; reprint January 2002)

Sheet No. . A....



Declaration of inventorship (Rules 4.17(iv) and 51bis.1(a)(iv)) for the purposes of the designation of the United States of America:

for the purposes of the designation of	the United States of America:
I hereby declare that I believe I am the original, first and sole (if only o is listed below) inventor of the subject matter which is claimed and fo	ne inventor is listed below) or joint (if more than one inventor or which a patent is sought.
This declaration is directed to the international application of which it	forms a part (if filing declaration with application).
This declaration is directed to international application No. PCT/ to Rule 26(er).	(if furnishing declaration pursuant
I hereby declare that my residence, mailing address, and citizenship a	re as stated next to my name.
I hereby state that I have reviewed and understand the contents of the a of said application. I have identified in the request of said application, it and I have identified below, under the heading "Prior Applications," to Organization, day, month and year of filing, any application for a patent States of America, including any PCT international application designated having a filing date before that of the application on which foreign particles.	by application number, country or Member of the World Trade to rinventor's certificate filed in a country other than the United ting at least one country other than the United States of America, jority is claimed.
Prior Applications:	

I hereby acknowledge the duty to disclose information that is a 37 C.F.R. § 1.56, including for continuation-in-part applications, mater of the prior application and the PCT international filing date of the continuation.	ontinuation-in-part application.
I hereby declare that all statements made herein of my own knowledge are believed to be true; and further that these statements were made v made are punishable by fine or imprisonment, or both, under Section false statements may jeopardize the validity of the application or any	1001 of Title 18 of the United States Code and that such willful
Name: Mikko Makipaa	
Residence: Helsinki, Finland (city and either US state, if applicable, or country)	· · · · · · · · · · · · · · · · · · ·
Mailing Address: Airoranta 9 A	
FIN-00830 Helsinki	
Citizenship: FIN	
Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent)	Date: (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Name: Akseli Anttila	***************************************
Residence: Helsinki, Finland (city and either US state, if applicable, or country)	
Mailing Address: Pajalahdentie 6 B 25	***************************************
FIN-00200 Helsinki	
Citizenship: FIN	
Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent)	Date:
This declaration is continued on the following sheet, "Continuat	ion of Box No. VIII (iv)".

Form PCT/RO/101 (declaration sheet (iv)) (March 2001; reprint January 2002)

Sheet No. . . . 7

Sheet No
Continuation of Box No. VIII (i) to (v) DECLARATION If the space is insufficient in any of Boxes Nos. VIII (i) to (v) to furnish all the information, including in the case where more than two inventors are to be named in Box No. VIII (iv), in such case, write "Continuation of Box No. VIII" (indicate the item number of the Box) and furnish the information in the same manner as required for the purposes of the Box in which the space was insufficient. If additional space is needed in respect of two or more declarations, a separate continuation box must be used for each such declaration. If this Box is not used, this sheet should not be included in the request.
Continuation of Box No. Vill (iv) Name: Toni Kopra Residence: Ojakkala, Finland
Mailing address: Sääritie 11 B 6, FIN-03250 Ojakkala Citizenship: FIN
Inventor's signature:
Date:
•
Î

Form PCT/RO/101 (continuation sheet for declaration) (March 2001; reprint January 2002)

Sheet No.		8	

BOX NO. IX CHECK LIST; LANGUAGE (DF FILING			
This international application contains: (a) the following number of sheets in paper form:	This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):	Number of items		
~ ~	1. K fee calculation sheet	: 1		
request (including declaration sheets) : 8	2. original separate power of attorney	•		
description (excluding sequence listing part) : 22	3. original general power of attorney	:		
claims : 8	4. Copy of general power of attorney; reference number,			
abstract : 1	if any: .02/.0021	''''		
drawings : 4	5. statement explaining lack of signature			
Sub-total number of sheets; 43	6. priority document(s) identified in Box No. VI as item(s):			
sequence listing part of description (actual number of sheets if filed in paper	7	:		
form, whether or not also filed in computer readable	8. separate indications concerning deposited microorganic or other biological material	3111		
form; see (b) below) : 43	9. sequence listing in computer readable form (indicate als and number of carriers (diskette, CD-ROM, CD-R or of	her))		
(b) sequence listing part of description filed in computer readable form	(i) copy submitted for the purposes of international under Rule 13ter only (and not as part of the international application)	search		
(i) only (under Section 801(a)(l))	(ii) [(only where check-box (b)(i) or (b)(ii) is marked	i in left		
(ii) in addition to being filed in paper form (under Section 801(a)(ii))	column) additional copies including, where app the copy for the purposes of international search	licable,		
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which the sequence listing part is contained (additional copies to be indicated under item 9(ii), in right column):	Rule 13/er (iii) together with relevant statement as to the identiful of the copy or copies with the sequence listing prentioned in left column	ty aart :		
right columny.	10 other (specify):	i		
Figure of the drawings which should accompany the abstract:	Language of filing of the international application: English			
Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request). 1 July 2002 Christian Hauge AWAPATENT A/S				
	For receiving Office use only	2 Desirings:		
Date of actual receipt of the purported international application:	0 1 JULY 2002 (0 1. 07. 02)	 Drawings: πeceived: 		
 Corrected date of actual receipt due to later timely received papers or drawings complet the purported international application: 	but ting			
Date of timely receipt of the required corrections under PCT Article 11(2):		not received:		
5. International Searching Authority (if two or more are competent): ISA /	6. Transmittal of search copy delayed until search fee is paid			
For International Bureau use only				
Date of receipt of the record copy by the International Bureau:				

Form PCT/RO/101 (last sheet) (March 2001; reprint January 2002)

1

A SYSTEM AND METHOD FOR DELIVERING REPRESENTATIVE MEDIA OBJECTS OF A BROADCAST MEDIA STREAM TO A TERMINAL

Field of invention

5 This invention relates to a system and method for delivering media objects associated with a broadcasted media stream to one or more terminals.

Background of invention

10

15

20

25

Media streams such as a radio or television transmissions, videos, or DVDs are generally controlled and presented by a communication system such as a radio or television receiver, a video recorder or DVD player. A user may control the presentation of the media stream by directly operating the communication device so as to select a particular media stream or particular sequence of the particular media stream. The known media streams and known communication devices are satisfactory in the presentation of a media stream in a sequential fashion. However, when it comes to commercial utilisation of the media stream the known communication systems may be further improved in order to serve multi-technical communication systems, i.e. combinations of communication systems, and to fulfil future customer demands for versatility of their communication devices and media stream products.

Summary of the invention

An object of the present invention is to provide a system and method for providing media objects of a media stream, which media objects are created for and made available to a user of a communication system during a primary media stream experience.

5

30

A further object of the present invention is to capture a frame of a media stream of a broadcast or video transmission to a terminal.

A particular advantage of the present invention is provision of editing capability for editing a frame of a media stream so as to personalise the frame.

A particular feature of the present invention relates to the provision of a "capture of the moment" or "record" hot key in a terminal enabling a user to download a frame from a plurality of frames of a media stream.

- The above objects, advantage and feature together with numerous further objects, advantages and features, which will be evident from below detailed description, is accomplished by a solution in accordance to a first aspect of the present invention by a system for delivering a media object to one or more terminals, which media object is associated with a media stream
- 25 broadcasted to one or more media stream receivers, said system comprising:
 - (a) a broadcasting network for connecting to said one or more media stream receivers;
 - (b) a first communications network for connecting to said one or more terminals; and
 - (c) a communication device connecting to said broadcasting network and broadcasting said media stream to said one or more media stream receivers, and connecting to said

communications network and communicating said media object to said one or more terminals.

The term "one or more" should in this context be construed as a, an, at least one, at least a single.

The media stream according to the first aspect of the present invention may comprise a television and/or radio transmitted show, drama, movie, sports game, news, or any combination thereof. Thus any type of television and/or radio transmission may constitute a media stream.

10

15

In addition, the media object may comprise a text, a picture, a series of pictures, a video, a series of videos, an audio recording, a series of audio recordings, or any combination thereof. Hence the media object may comprise any related or unrelated information in regards to the media stream and may be presented in any type of readable format.

The terminal according to the first aspect of the present invention may comprise a phone, a cellular or mobile phone, a personal computer, a television, a set top box, a multimedia terminal, a personal office assistant or any combination thereof, and the one or more media stream receivers may comprise a set top box, multimedia terminal, television receiver, television, radio receiver or any combination thereof.

The communication device according to the first aspect of the present invention may broadcast to the one or more media stream receivers by a cable television network, a satellite television network, a radio frequency television network, a telephone network, a powerline network, a radio network or any

4

combination thereof. Thus any type of network may generally be applied for broadcasting of the media stream, i.e. various types of providers capable of transmitting the media stream to the receivers may be used. This provides for a system, which is very versatile.

5

25

30

The communication device according to the first aspect of the present invention may be adapted to transmit digitally coded communication such as digital video broadcasting and/or digital audio broadcasting. The digitally coded signals provide better transmission quality and enables the communication device to forward additional information to a receiver.

The first communications network according to the first aspect
of the present invention may comprise a telephone wire network,
a cable television network, a powerline network, a computer
network, a wireless telephone network, or any combination
thereof. The communication between the communication device and
the one or more terminals may utilise a wide variety of network
types and wide variety of combinations of network types
depending upon which provider is selected.

The communication device according to the first aspect of the present invention may comprise a broadcasting unit for broadcasting the media stream to the one or more media stream receivers, a management unit for providing the media object to the one or more terminals, and a second communications network for interconnecting the broadcasting unit and the management unit. The broadcasting unit may comprise a marker for generating a media stream identification tag associated to the media stream, which media stream identification tag may comprise information regarding duration of the media stream, lapsed time of the media stream, broadcasting schedule for the

media stream, broadcasting channel for the media steam, or any combination thereof. By tagging the media stream with an identification mark any specific media objects relating to the media stream may be connected to the media stream in the communication device so as to provide a tool for managing the media objects.

Further, the broadcasting unit may be adapted to perform a continuous communication of data regarding the media stream information tag, an updating communication of revision of 10 specific data regarding the media stream information tag, a communication based on schedule of the media stream, or any combination thereof. Any of the above reference communications are advantageous since they all serve a specific purpose. Continuous communication enables the broadcast unit to 15 continuously correct for changes in the broadcast scheduling of the media stream and to continuously create new media objects relating to the media stream. Updating communication similarly provides the broadcasting unit with the possibility to adjust for changes in the broadcast scheduling of the media stream. 20 Finally, the scheduled communication such as predefining intervals in which the broadcast unit may communicate with the management unit provides a well structured and coordinated communication form.

25

30

The management unit according to the first aspect of the present invention may comprise an application program interface for receiving the media object, a database for storing the media object and the media stream identification tag, a real time publishing interface for enabling real time publishing of the media object, and a user interface for providing the one or more terminals access to select the media object stored in the database through the first communications network. The various

interfaces may be implemented in a plurality of format so as to support a wide range of communication standards.

The user interface may be adapted to respond to a request from the one or more terminals and to generate a media object list of media objects, which are accessible for the one or more terminals.

The second communications network according to the first aspect of the present invention may comprise local area network, metropolitan area network, wide area network, or inter-network such as the Internet, a dedicated communication line, or any combination thereof. The first aspect of the present invention may therefore be implemented for any particular network being wireless or hardwire.

The system according to the first aspect of the present invention may further comprise a billing unit for managing billing transactions for the one or more terminals' requests for the media object and for generating invoices to the one or more terminals in accordance with the billing transactions. The transactions may be recorded so as to present invoices to users of the system.

In addition, the system may further comprise a third communications network for interconnecting the billing unit and the management unit and a fourth communications network for interconnecting the billing unit and the one or more terminals. The third and fourth communications network comprises local area network, metropolitan area network, wide area network, or inter-network such as the Internet, a dedicated communication line, a telephone wire network, a cable television network, a powerline network, a computer network, a wireless telephone

network, or any combination thereof. As described above the network type is not limited since the system may be incorporating into any known network types.

- The term broadcasting network is to be construed as a cable TV network, a satellite TV network, a radio frequency TV network, a radio cable or terrestrial network, and/or any TV or radio network utilising digital transmission techniques.
- 10 The communication device according to first aspect of the present invention may broadcast the media stream and the media object through the broadcasting network and the one or more media stream receivers may connect to the first communications network and communicate the media object to the one or more terminals. The media object may be broadcast through a digital television network as part of the media stream such as through super text TV. A digital receiver such as a set-top box may store the media objects and communicate them subsequently to the one or more terminals.

The above objects, advantages and features together with numerous further objects, advantages and features which will be evident from below detailed description is accomplished by a solution in accordance to a second aspect of the present invention by a method for delivering a media object to one or more terminals, which media object is associated with a media stream broadcasted to one or more media stream receivers, and said method comprising:

- (a) associating said media object with said media stream by means of a communication device;
- (b) broadcasting said media stream to said one or more media stream receivers through a broadcasting network by means of said communication device; and

20

25

- (c) communicating said media object to a requesting terminal of said one or more terminals through a communications network by means of said communication device.
- The method according to the second aspect of the present invention may further comprise defining a parameter for the media object by means of the communication device and the parameter defining a media object format such as audio, video, image, or any combination thereof, a technical format, an alternative task such as full view or close-up, a terminal requirement, or any combination thereof. By defining the parameter the method provides for an effective means for selecting those media objects which are readable to a specific terminal.

15

20

25

30

The method according to the second aspect of the present invention may further comprise packaging a set of media objects associated with the media stream and publishing the set of media objects to the one or more terminals by means of the communication device. The packaging may comprise linking the media object to the media stream so that the media object is attached to a broadcasting time line of the media stream and defining the availability of the media object in accordance with the broadcasting time line of the media stream. Obviously, some connection between the media stream and the media objects is required in order to manage a media object relative to a terminal and relative to a media stream.

The packaging may further comprise defining a media object based on a key moment of the media stream as an elapsed time from the start of the media stream, defining the media object's availability prior, during and after broadcast of the media stream, defining an additional time period during which the

media object's availability is announced but not available for transfer, or any combination thereof. Any desired part of a media stream may be utilised for the creation of a media object associated with the media stream.

5

10

The method according to the second aspect of the present invention may further comprise managing the set of media objects by means of the communication device, and the managing comprises controlling availability of each media object of the set of media objects in accordance with the broadcast time line for the media stream. The availability of the media object is controlled so as to provide a constant high level of current interest in the media objects. This motivates a user to further use the method for downloading more media objects.

15

20

25

30

The method according to the second aspect of the present invention may further comprise providing the one or more terminals access to the available media objects and enabling a requesting terminal of the one or more terminals to transfer any specific available media object. The providing may comprise presenting a user interface to the one or more terminals, which user interface lists the set of media objects. The user of a terminal may thus select from a set of media objects associated with any particular media stream. The number of media objects in a set may vary in accordance with the popularity of the media stream.

The method according to the second aspect of the present invention may further comprise generating a media object by means of the communication device in response to a request from the one or more terminals. The request is accomplished by a user of a terminal depressing a hotkey for capturing a key moment of the media stream. The user interface presents a

specific list for a specific terminal, which specific list comprises a media object, which is readable by the specific terminal. The user of a terminal may thus by depressing a button on his terminal initiate the creation of a media object to a media screen. In this way the user may select any frame or sound be desires from the media stream.

The method according to the second aspect of the present invention may further comprise purchasing the media object from the communication device by means of the one or more terminals, by purchasing the media object the media object is transferred to the one or more terminals. Since media streams may be subject to royalties the user of the method should be at least self supporting or part of a business.

15

20

25

30

10

The method according to the second aspect of the present invention may further comprise recording and processing of the transfer of the media object to the one or more terminals by means of a transaction processing device. Payment of the utilised services may be monitored in a wide variety of ways thus the method opens the possibility for implementation in many circumstances.

The method according to the second aspect of the present invention may further comprise identifying the media object format by means of the one or more terminals, the identifying revealing information such as supporting application needed, additional rights pertaining to the media object, forwarding limitations associated with the media object, or any combination thereof.

The method according to the second aspect of the present invention may further comprise providing privileges associated

11

with the media object and with the one or more terminals. The privileges enable the one or more terminals to copy or forward the media object in accordance with each of the one or more terminals' number of purchases of said media object. In addition or alternatively, the may privileges disable the one or more terminals to copy or forward said media object. Further in addition or alternatively, the privileges may disable the one or more terminals to copy or forward more than the one or more terminals to copy or forward more than the one or more terminals' number of purchases. It is important to monitor and restrict the user of the terminals in exploiting the media objects beyond the rights pertained thereto. Hence the method according to the second aspect of the present invention may ensure against this type of exploitation. The privileges may be incorporated in the system according to the first aspect of the present invention.

The method according to the second aspect of the present invention may further incorporate any features of the system according to the first aspect of the present invention.

Brief description of the drawings

5

10

15

20

25

The above, as well as additional objects, features and advantages of the present invention, will be better understood through the following illustrative and non-limiting detailed description of preferred embodiments of the present invention, with reference to the appended drawings, wherein:

Figure 1 shows a system according to a first embodiment of the 30 present invention;

Figure 2 shows an example of the methodology used by the system according to the first embodiment of the present invention;

Figure 3 shows an overall view of key components of the system according to the first embodiment of the present invention; and

Figure 4 shows a flow chart of method according to a second embodiment of the present invention.

Detailed description of preferred embodiments

In the following description of the various embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration various embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural and functional modifications may be made without departing from the scope of the present invention.

A communication system according to a first embodiment of the present invention is shown in figure 1 as designated in its entirety by reference numeral 10.

The communication system 10 enables a user of a terminal 12, such as a cell or mobile phone, during a media stream broadcast to capture a media object. A media object should in this

25 context be construed as a frame of a media stream, a series of frames of a media stream, a video sequence of a media stream, a part of a sound track of a media stream, or any combination thereof.

The communication system 10 further comprises a display 14 for displaying a broadcasted media stream 16. The display 14 is communicating with a receiver 18, such as an external or internal digital set-top box, a digital receiver, or an

analogue receiver. The receiver 18 may in an alternative embodiment of the present invention further communicate with a video recorder, a DVD player, a radio receiver, a sound amplifier, or any combination thereof.

5

10

20

25

30

The media stream 16 is broadcasted through a broadcasting network such as a cable television network, a satellite television network, a terrestrial television network, a telephone network, a powerline network, a cable or terrestrial radio network or any combination thereof.

The terminal 12 may comprise a hot key 20 enabling a user of the terminal 12 to select, by depressing the hot key 20, a media object 24 associated with the media stream 16. Thus, a 15 user of the terminal 12 watching a television show may during the show depress the hot key 20 and thereby request a media object to be transferred through a communications network, such as a wired or wireless telecommunication network. In addition, the user of the terminal 12 may select any part of the media stream 16 such as any particular audio tracks from the media stream 16.

The communication system 10 enables turning existing mass media properties into further digital merchandise by utilising the familiarity and appeal of characters, events and themes songs of particular television shows, movies or radio programs for media objects to be incorporated into a user's terminal 12.

The media object 24 is created as a representation of a particular scene of a television show, however, the media object 24 may be any key moments of television shows, movies or radio programs such as high points of the plot line (Ross and Rachel's first kiss in the television series "friends"), a

clever punch line in a television show, a particular comment by a character in a movie or television show, a goal scored in any sports game. The media object 24 may be a video clip, a picture, a series of pictures, animations, soundtracks or the like.

5

10

15

20

25

30

The media object 24 when transferred onto the terminal 12 may be used as any personal terminal enhancement such as background images, ringing tones, messages, or logos. The terminal 12 comprises an editor for enabling a user of the terminal 12 to edit the media object 24 in accordance with any personal preferences. The terminal 12 further comprises a memory for storing of the media object 24 so that the user may further communicate the media object 24 per se or an edited version of the media object 24 to other terminals through a wireless telecommunications network and/or utilising a multimedia messaging service.

An example of the methodology is shown in figure 2. A communication system designated in its entirety by reference numeral 40 comprises a television set 42 having a monitor 44 and a receiver 46 and displaying a specific media stream 48, and comprises a communication device 47 for broadcasting the specific media stream to the receiver 46 and for providing media objects related to the specific media stream to any number of terminals.

A first user is watching the media stream 48 on the television set 42 and desires to transfer a media object 50 associated with the media stream 48 onto a first terminal 52, which transfer is shown as an arrow 54. The first user captures this media object 50 by using the first terminal 52 and pressing the "capture the moment" hot key 56. The first user may then want

15

to share the media object 50 with a second user of a second terminal 58 and hence in accordance with a set of privileges associated with the first user communicate the media object 50 by utilising for example a multimedia messaging service (MMS), which communication is shown in figure 2 as an arrow 60. The second user of the second terminal 58 may subsequently be using the media object for example as a personal background on his/her terminal or in accordance with a set of privileges associated with the second user distribute it further by sending for example a new e-mail with the media object attached with the e-mail transmission.

The utilisation of the multimedia messaging service for forwarding or sharing the media object may be incorporated in the terminal as a application program presenting a menu enabling the user to activate a transfer of the media object. In addition, the application program may open a recipient window to be filled by the user of the terminal prior to activating a transfer of the media object and in this process offering the user the use of the address book of the terminal. Further, the application program may comprise a editing facility enabling the user of the terminal to edit in the media object prior to activating the transfer of the media object. The editing facility the user may add comments to the media objects. Furthermore, the application program may enable the introduction of an advertisement to be associated and forwarded with the media object. This renders it possible to have messages partly of fully financed by the advertiser who wants to sponsor the media object.

30

5

10

15

20

25

Both the first and second terminal 52 and 58 provide the first and second user with the possibility to edit the media object

50 so as to personalize a message in conjunction with the transmission of the media object from one terminal to the next.

Figure 3 shows an overall view of the key components of the communication system 10. The communication system 10 comprises a broadcast unit 80 for broadcasting a media stream to one or more television receivers in any given region 82. The broadcast of the media stream is shown as a first arrow 84 and may be accomplished by wireless, cable or satellite transmission. The region 82 may be defined by a cable television network or a plurality of individual television receivers.

5

10

15

30

The broadcast unit 80 comprises a marker 86 for continuously generating an associated media stream identification tag to a specific media stream to be aired on a specific transmission date and time. The tag may contain further information regarding duration of the specific media stream, lapsed time of the specific media stream and transmission channel.

The broadcast unit 80 communicates the associated media stream identification tag to a management unit 88 through a first communications network 90 such as local area network, metropolitan area network, wide area network, or inter-network such as the Internet, or alternatively on a dedicated line. The management unit 88 comprises an application program interface 92 for receiving one or more media objects 94 associated with specific media stream identification tags and connects to a database 96 for storing the one or more media objects 94 together with the associated media stream identification tags.

The broadcast unit 80 may perform a continuous transmission of data regarding a media stream information tag, an updating transmission of revision of specific data regarding a media

2062-07-01 17:04 G:\Case\Nokia\99000104\Ansogningstekst.doc

stream information tag, or a transmission based on a scheduled program listing.

Furthermore, the management unit 88 comprises a real time publishing interface 98 enabling real time publishing of media objects. That is, enabling publishing of the one or more media objects 94 during the broadcast unit's broadcast of an associated media stream.

10 In addition, the management unit 88 comprises an interface processor 100 for providing one or more terminals 102 access to the one or more media objects 94 stored in the database 96 through a wireless communications network 104. The interface processor 100 responds to a call from one or more of the 15 terminals 102 and generates a media object list of the one or more media objects that are accessible for the specific one or more terminals 102 at that specific date and time. The access of the one or more media objects 94 may thus be limited to a specific time period so as to create media objects which are dependent on the transmission of a media stream.

The management unit 88 further communicates with a billing device 106 through a second communications network 108, which may be any of the above types mentioned with reference to the first communications network 90, it may in fact be the same communications network. The billing device 106 manages transactions of media objects, accounts of the one or more terminals 102, and generates invoices. The billing device 106 may further communicate with the one or more terminals 102 through a third communications network 110, which as before may be any of the above types mentioned with reference to the first and second communications network 90 and 108 in combination with a wireless communications network.

25

In an alternative embodiment of the management unit 88 communicates the media objects through the second communication network 90 to the broadcast unit 80, which communicates the media objects to the one or more television receivers or settop box in the region 82 together with the media stream. The media objects may be communicated as a super text TV object. The one or more television receivers communicate the media objects to the terminals through a wireless communications network 105.

10

15

Figure 4 shows a flow chart of a method according to a second embodiment of the present invention, which method is designated in its entirety by reference numeral 120. The method 120 comprises a start 122 for performing initialisation of the method 120. The start 122 involves establishing an interface for media object generating devices, such as the broadcast unit 80 described with reference to figure 3, and an interface for a terminal, such as the one or more terminals 102 described with reference to figure 3.

20

25

30

The media object generating devices utilise a management unit, such as described with reference to figure 3 as the management unit 88, for establishing media objects 124 on or under the control of the management unit. The media object generating devices use an original media stream content for creating the media objects associated with said original media stream. The media objects may be key frames or key sounds, which define a special moment of the media stream. The media objects are created prior to broadcasting the media stream, which broadcasting may be performed one or more times in one or more regions or in one ore more television network. However, the media objects may, in addition, be created during a broadcast of an associated media stream, for example during live sports

broadcasts, which enable a terminal to select representative frames of the media stream (sports broadcast) such as a goal scored during a soccer match.

5 The media objects may be implemented in any format such as in Synchronized Multimedia Integration Language (SMIL) format, any JPEG format, any Graphics Interchange Format (GIF), audio or digital audio formats, Audio IFF, Computer Graphics Metafile, TIFF, BIFF, bmp, Clear, FITS, NFF, OFF, PCX, PNG, TGA, XBM, mod, any Moving Picture Experts Group (MPEG) format, Musical Instrument Digital Interface, PICT, PNG, Portable Document Format (PDF), Portable Network Graphics, Portable Pixmap, progressive coding, Quicktime, RIFF, Self Extracting Archive, sequential coding; server-parsed HTML, sprite, Tagged Image File Format, targa, Targa Graphics Adaptor, thumbnail, wav, WebCGM, wireless bitmap, xpm or a different frame rate video.

In an alternative embodiment of the present invention the media objects are created automatically or semi-automatically.

Defining the parameters 126 is achieved by the management unit. The parameters of the media objects may define media object type (audio, video or image), technical format (as described above e.g. JPEG), alternative tasks (full view, close-up), terminal requirements (e.g. Nokia 6100 series). In addition, textual matter or preview versions may be included in the media objects.

When the management unit has received all necessary information regarding media objects associated with a specific media stream the management unit packages the media objects as a set of media objects during packaging 128. The packaging 128 comprises associating the media objects to a specific media stream so

2002-07-01 17:04 G:\Case\Nokie\99000104\Anb@giingsreksr.doo

20

that each media object are attached to the time line of the media stream by defining the availability of the media object in accordance with the time line of the media stream. This may be achieved by defining the key moment as elapsed time for the start of the media stream (e.g. media stream title, media object identification tag, and media object title - second goal), defining the media object's availability prior, during and after broadcast of the media stream, as well as defining an additional time period during which the availability of a media object is announced but not available for transfer (e.g. advertised prior to broadcast).

When the packaging 128 is accomplished the management unit initiates a publishing 130 of the media object or the set of media objects so that the media object or set of media objects are associated with the specific media stream.

During the media stream broadcast the management unit controls the availability of the media object or the set of media objects by managing 132 availability in accordance with the pre-defined timing and the progression of the media stream broadcast, while taking in to account delays in the start of the broadcast and commercial breaks.

In conjunction with controlling availability of the media object or set of media objects the management unit enables one or more terminals to access the available media objects by providing 134 the requesting one or more terminals to transfer any particular available media object.

The providing step 134 further comprises presenting a user interface to the one or more terminals, which user interface

lists the set of media objects, which may be generated by the

10

15

20

managing device as a response to a request from the one or more terminals such as accomplished by a user of a terminal depressing a hotkey for capturing a media stream moment, as described with reference to figure 3. By depressing the hotkey the user navigates to a web page or starts a particular application. The user interface presents a specific list for a specific terminal, which specific list comprises media objects, which are readable by said specific terminal. Hence the user interface is dynamic in relation to the one or more terminals. For example, if the management unit knows that the specific terminal only supports PNG images the user interface does not present available GIF images.

Furthermore, the list may comprise presently unavailable media objects that will be available in the future and/or previously available media objects, which presently are unavailable.

Alternatively, if only one media object is available at any time the user interface may direct the user to directly transfer the media object omitting listing alternatives.

20

25

15

5

10

The user/users of the one or more terminals are subsequently asked whether a purchase of a media object is requested during a purchase? step 136. The media object may have a price, which subsequently to the user transferring the media object is charged to the user. If the user does not wish to purchase a media object, the method 120 is terminated in termination step 138.

On the other hand if the user wishes to purchase a media object of the list of media objects the method 120 moves to transfer the chosen media object during a transfer step 140. When the chosen media object is transferred to the user the transaction is recorded and processed by a separate transaction processing

device such as the billing device as described with reference to figure 3. The transaction may be accomplished in a wide variety of ways such as micro-payment, charging against user account or operating billing.

5

10

15

when the media object is transferred to the user's terminal it may be identified by the terminal by its format or supporting application (e.g. through MIME type mapping). This initial identification may further reveal which type of potential use is allowed. That is, additional rights and limitations may be attached to the media object (e.g. the user's ability to forward the media object to others may be limited). Hence, when a specific user of a terminal purchases a certain media object, which is transferred to the terminal, the media object includes privileges describing rights and limitations in use or copying of the media object.

Claims

15

- 1. A system for delivering a media object to one or more terminals, which media object is associated with a media stream broadcasted to one or more media stream receivers, said system comprising:
 - (a) a broadcasting network for connecting to said one or more media stream receivers;
- 10 (b) a first communications network for connecting to said one or more terminals; and
 - (c) a communication device connecting to said broadcasting network and broadcasting said media stream to said one or more media stream receivers, and connecting to said communications network and communicating said media object to said one or more terminals.
- A system according to claim 1, wherein said media stream comprises a television and/or radio transmitted show, drama,
 movie, sports game, news, or any combination thereof.
 - 3. A system according to claims 1 or 2, wherein said media object comprises a text, a picture, a series of pictures, a video, a series of videos, an audio recording, a series of audio recordings, or any combination thereof.
- 4. A system according to any of claims 1 to 3, wherein said terminal comprises a phone, a cellular or mobile phone, a personal computer, television, a set top box, a multimedia terminal, a personal office assistant or any combination thereof.

5. A system according to any of claims 1 to 4, wherein said one or more media stream receivers comprise a set top box, multimedia terminal, television receiver, television, radio receiver or any combination thereof.

5

10

15

- 6. A system according to any of claims 1 to 5, wherein said communication device broadcasts to said one or more media stream receivers by a cable television network, a satellite television network, a radio frequency television network, a telephone network, a powerline network, a radio network or any combination thereof.
- 7. A system according to claim 6, wherein said communication device is adapted to transmit digitally coded communication such as digital video broadcasting and/or digital audio broadcasting.
- 8. A system according to any of claims 1 to 7, wherein said first communications network comprises a telephone wire network, a cable television network, a powerline network, a computer network, a wireless telephone network, or any combination thereof.
- 9. A system according to any of claims 1 to 8, wherein said

 25 communication device comprising a broadcasting unit for
 broadcasting said media stream to said one or more media stream
 receivers, a management unit for providing said media object to
 said one or more terminals, and a second communications network
 for interconnecting said broadcasting unit and said management
 unit.
 - 10. A system according to claim 9, wherein said broadcasting unit comprises a marker for generating a media stream

identification tag associated to said media stream, which media stream identification tag comprises information regarding duration of said media stream, lapsed time of said media stream, broadcasting schedule for said media stream, broadcasting channel for said media stream, or any combination thereof.

5

10

- 11. A system according to claims 9 or 10, wherein said broadcasting unit is adapted to perform a continuous communication of data regarding said media stream information tag, an updating communication of revision of specific data regarding said media stream information tag, a communication based on schedule of said media stream, or any combination thereof.
- 12. A system according to any of claims 9 to 11, wherein said management unit comprises an application program interface for receiving said media object, a database for storing said media object and said media stream identification tag, a real time publishing interface for enabling real time publishing of said media object, and a user interface for providing said one or more terminals access to select said media object stored in said database through said first communications network.
- 13. A system according to claim 12, wherein said user interface is adapted to respond to a request from said one or more terminals and to generate a media object list of media objects, which are accessible for said one or more terminals.
- 30 14. A system according to any of claims 9 to 13, wherein said second communications network comprises local area network, metropolitan area network, wide area network, or inter-network

such as the Internet, a dedicated communication line, or any combination thereof.

- 15. A system according to any of claims 1 to 14 further comprises a billing unit for managing billing transactions for said one or more terminals' requests for said media object and for generating invoices to said one or more terminals in accordance with said billing transactions.
- 10 16. A system according to claim 17 further comprises a third communications network for interconnecting said billing unit and said management unit and a fourth communications network for interconnecting said billing unit and said one or more terminals.
- 17. A system according to claim 16, wherein said third and fourth communications network comprises local area network, metropolitan area network, wide area network, or inter-network such as the Internet, a dedicated communication line, a telephone wire network, a cable television network, a powerline network, a computer network, a wireless telephone network, or any combination thereof.
- 18. A system according to any of claims 1 to 17, wherein said communication device broadcasting said media stream and said media object through said broadcasting network and wherein said one or more media stream receivers connecting to said first communications network and communicating said media object to said one or more terminals.
 - 19. A method for delivering a media object to one or more terminals, which media object is associated with a media stream

15

broadcasted to one or more media stream receivers, and said method comprising:

- (a) associating said media object with said media stream by means of a communication device;
- (b) broadcasting said media stream to said one or more media stream receivers through a broadcasting network by means of said communication device; and

5

- (c) communicating said media object to a requesting terminal of said one or more terminals through a communications network by means of said communication device.
- 20. A method according to claim 19 further comprises defining a parameter for said media object by means of said communication device and said parameter defining a media object format such as audio, video, image, or any combination thereof, a technical format, an alternative task such as full view or close-up, a terminal requirement, or any combination thereof.
- 20 21. A method according to claims 19 or 20 further comprises packaging a set of media objects associated with said media stream and publishing said set of media objects to said one or more terminals by means of said communication device.
- 25 22. A method according to claim 21, wherein said packaging comprises linking said media object to said media stream so that said media object is attached to a broadcasting time line of said media stream and defining the availability of said media object in accordance with said broadcasting time line of said media stream.
 - 23. A method according to claims 21 or 22, wherein said packaging further comprises defining a media object based on a

key moment of said media stream as an elapsed time from the start of the media stream, defining the media object's availability prior, during and after broadcast of said media stream, defining an additional time period during which said media object's availability is announced but not available for transfer, or any combination thereof.

5

- 24. A method according to any of claims 19 to 23 further comprises managing said set of media objects by means of said communication device, and said managing comprises controlling availability of each media object of said set of media objects in accordance with said broadcast time line for said media stream.
- 25. A method according to claim 24 further comprises providing said one or more terminals access to said available media objects and enabling a requesting terminal of said one or more terminals to transfer any specific available media object.
- 20 26. A method according to claim 25, wherein said providing comprises presenting an interface to said one or more terminals, which interface lists said set of media objects.
- 27. A method according to any of claims 19 to 26 further
 25 comprises generating a media object by means of said
 communication device in response to a request from said one or
 more terminals.
- 28. A method according to claim 27, wherein said request is accomplished by a user of a terminal depressing a hotkey for capturing a key moment of said media stream.

- 29. A method according to any of claims 26 to 28, wherein said interface presents a specific list for a specific terminal, which specific list comprises a media object, which is readable by said specific terminal.
- 30. A method according to any of claims 19 to 29 further comprises purchasing said media object from said communication device by means of said one or more terminals, by purchasing said media object said media object is transferred to said one or more terminals.

5

10

15

- 31. A method according to claim 30 further comprises recording and processing of said transfer of said media object to said one or more terminals by means of a transaction processing device.
- 32. A method according to claims 30 or 31 further comprises identifying said media object format by means of said one or more terminals, said identifying revealing information such as supporting application needed, additional rights pertaining to said media object, forwarding limitations associated with said media object, or any combination thereof.
- 33. A method according to any of claims 19 to 32, further
 comprising providing privileges associated with said media
 object and with said one or more terminals, which privileges
 enable said one or more terminals to copy or forward said media
 object in accordance with each of said one or more terminals'
 number of purchases of said media object and/or which
 privileges disable said one or more terminals to copy or
 forward said media object and/or which privileges disable said
 one or more terminals to copy or forward more than said one or
 more terminals' number of purchases.

. 30

34. A method according to any of claims 19 to 33, wherein said method further incorporates any features of the system according to any claims 1 to 18.

Abstract

This invention relates to a system and method for delivering a media object associated with a media stream broadcasted from a communication device to a broadcast receiving unit such as a personal computer, a multimedia terminal, a television receiver, a television, or any type of radio receiver, to a terminal such as a phone, a cellular or mobile phone, a personal computer, a television, or a personal office assistant (figure 1).

